4

Application No. Applicant(s) RAGHURAMAN ET AL. 10/532,578 *Notice of Allowability Examiner Art Unit Mindy Vu -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office of upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to <u>submissions of 10 August 2007</u>. 2. The allowed claim(s) is/are 1-7 and 9-12. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🛛 All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). Certified copies not received: . . Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date _ (b) I including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attáched Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 3. M Information Disclosure Statements (PTO/SB/08), 7. X Examiner's Amendment/Comment Paper No./Mail Date 8/10/07 4. Examiner's Comment Regarding Requirement for Deposit 8. Examiner's Statement of Reasons for Allowance of Biological Material 9. Other _____.

Application/Control Number: 10/532,578

Art Unit: 2884

Page 2

DETAILED ACTION

This Office Action is in response to Applicant's amendment filed August 10, 2007.

Information Disclosure Statement

The information disclosure statement filed August 10, 2007 fails to comply with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609 because each page of the list must include an application number. However, the examiner makes no further requirement.

Drawings

2. The drawings were received on August 10, 2007. These drawings are acceptable.

Response to Arguments

3. Applicant's arguments, see pages 4 and 5, filed August 10, 2007, with respect to claims 1, 6 and 7 as amended have been fully considered and are persuasive. The rejection of those claims and those which depend from them has been withdrawn.

Conclusion

- 4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 5. Eckels (US 3,173,293) discloses the testing of fluid content of the circulating fluids of oil wells using a fluorescence dye.
- 6. Saniford et al. (US 3,851,171) discloses a method for tracing the flow of water through a subterranean formation in which tracer supply is added to the water at a

Application/Control Number: 10/532,578

Art Unit: 2884

Page 3

selected point and samples of water are withdrawn from the formation to analyze for the presence of the agent.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mindy Vu whose telephone number is 571-272-8539.

The examiner can normally be reached on M-F 9am - 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Porta can be reached on 571-272-2444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

mv

SUPERVISORY PATENT EXAM* : 54
TECHNOLOGY CENTER 2000